

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	99	("6129530" "4268096" "4288190" "4579510" "5284232" "5325948" "5651337" "5932858" "5959381" "6056517" "6213733" "6213733" "4270314" "4346645" "4387892" "4422771" "4470211" "4470764" "4492125" "4542995" "4800309" "4821847" "4832638" "4834652" "4895235" "4896603" "5242035" "5248270" "5255499" "5267840" "5290155" "5373927" "5433298" "5557976" "5615582" "5680912" "5751080" "5816379" "5837295" "5853248" "5862902" "5871331" "5924186" "5931281" "5949161" "5953959" "5957589" "5973429" "5993173" "5997257").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:26
L2	2983	310/90.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:27
L3	365	417/319.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:27
L4	353	192/70.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:27
L12	3	tire\$1 and tread\$1 and surface and circumferential and plan\$1 and peripheral and ((radial with runout) or nonuniformit\$3 or (non adj uniformit\$3)) and (radial with distance\$1) and (vibrat\$3 with rotat\$3) and (correct\$3 or adjust\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:31
L13	94	tire\$1 and tread\$1 and circumferential\$2 and (radial with distance\$1) and (vibrat\$4) and (correct\$3 or adjust\$3 or remov\$3) and rim and ( template or pattern or model or shape)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:34
L19	1	2 and tire and tread	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:37
L20	0	4 and tire and tread	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:38
L21	0	3 and tire and tread	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:44

L22	68	702/157.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:37
L23	1	22 and tire and tread	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:37
L24	12	2 and tire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:45
L25	0	4 and tire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:38
L26	6	3 and tire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:40
L27	175	702/167.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:40
L28	4	27 and tire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:41
L29	1473	451/28.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:41
L30	43	29 and tire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:42
L31	1509	73/146.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:41
L32	1110	31 and tire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:42

L33	473	32 and tread	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:43
L34	79	33 and profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:43
L35	258	702/75.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:45
L36	348	702/41.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:45
L37	4	35 and tire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:45
L39	22	36 and tire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:45
S1	66	702/157.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:36
S3	5909	tire\$1 and tread\$1 and surface and circumferential and plan\$1 and peripheral and ((radial with runout) or nonuniformity\$3 or (non adj uniformity\$3)) and (radial with distance\$1) and (vibration\$3 with rotation\$3) and (correct\$3 or adjust\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:31
S4	2	tire\$1 and tread\$1 and (circumferential with plan\$1) and (peripheral with surface) and ((radial with runout) or nonuniformity\$3 or (non adj uniformity\$3)) and (radial with distance\$1) and (vibration\$3 with rotation\$3) and (correct\$3 or adjust\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/11 18:28
S5	2	tire\$1 and tread\$1 and (circumferential with plan\$1) and (peripheral with surface) and (radial with distance\$1) and (vibration\$3 with rotation\$3) and (correct\$3 or adjust\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/11 18:29
S6	6	tire\$1 and tread\$1 and (circumferential with plan\$1) and (radial with distance\$1) and (vibration\$3 with rotation\$3) and (correct\$3 or adjust\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/11 18:42

S7	91	tire\$1 and tread\$1 and circumferential\$2 and (radial with distance\$1) and (vibrat\$4) and (correct\$3 or adjust\$3 or remov\$3) and rim	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/11 18:50
S8	2	"5485406".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/11 18:45
S9	27	tire\$1 and tread\$1 and circumferential\$2 and (radial with distance\$1) and (vibrat\$4) and (correct\$3 or adjust\$3 or remov\$3) and rim and (grind\$3 or (remov\$3 with rubber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/11 19:25
S10	2	tire\$1 and tread\$1 and circumferential\$2 and (radial with distance\$1) and (vibrat\$4) and (correct\$3 or adjust\$3 or remov\$3) and rim and template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/11 19:26
S11	90	tire\$1 and tread\$1 and circumferential\$2 and (radial with distance\$1) and (vibrat\$4) and (correct\$3 or adjust\$3 or remov\$3) and rim and ( template or pattern or model or shape)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:32
S12	56	tire\$1 and tread\$1 and circumferential\$2 and (radial with distance\$1) and (vibrat\$4) and (correct\$3 or adjust\$3 or remov\$3) and rim and ( template or pattern or model)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/11 19:28
S13	13	tire\$1 and tread\$1 and circumferential\$2 and (radial with distance\$1) and (vibrat\$4) and (correct\$3 or adjust\$3 or remov\$3) and rim and ( template or pattern or model) and profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/11 19:28
S14	19	tire\$1 and (((remov\$3 or grind\$) with rubber with tread) same (computer or controller) same (location or magnitude or (radial with runout)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/15 15:04